



AIRLESS LINE MARKING EQUIPMENT



TECHNICAL QUALITY CERTIFIED WE'RE SPECIALIZED IN AIRLESS TECHNOLOGY

SAMOA professional airless road marking machines joins product performance with operator needs and allow marking and maintenance of all types lines for flooring, highways, airfields, crossings pedestrian, bicycle paths, parking lots, squares and all that is required by the code of the road in the field of horizontal sign age, guaranteeing perfect lines on different types of surfaces.

Airless technology provides high-pressure paint spray through airless nozzle of centimetre size versus traditional spraying allow pressure where the flow of paint is sprayed through the air supply.

ADVANCED MARKING SOLUTIONS Increase your productivity on the road

AT THE FIRST PASS NET MARKING LINES

With only one "pass" the marking line is defined uniformly: the line of an airless spraying is linear, clear and sharp thanks to the flat cutting airless nozzle and without jagged effects due to the turbulence caused by the air.

Part No. LA18383 DALÌ PLUS airless line striper with 23 I paint can



OVER SPRAY MINIMIZED

Airless operation marking eliminates the classic "Overspray" particle dispersion of paint typical of traditional air paint. This results is in a paint saver, in the larger one protection for the health of the operator and the environment.

SAVES UP TO 30% OF PAINT

Thanks to the lack of Overspray the almost totality of the product used is applied to the surface without waste.

VIBRATION REDUCTION

Vibration reduction ensures the quality of the lines best in the road marking sector.

THE PAINT DRIES OUICKLY

Airless marking operation requires the use of filtered varnish specific for airless applications, this in itself means homogeneous, smooth and uniform texture that does not will make any crust, nor will it become gelatinous or thick. The paint adheres tensely to all types of flooring, with excellent visibility and wear resistance both from traffic and from atmospheric agents. High quality paints ensure faster speeds drawing, longer line visibility,

and a agreeable aesthetic result.

REFLECTIVE BEAD APPLICATION

Reflective beads apply with a gravity dispenser driven by the same command that drives the painting gun. The "spheres" automatically fall on the strip just drawn. Do not use premixed beads.

50 L NO-STICK GRAVITY TANK

Thanks to the large capacity of the hopper the tracing times are prolonged due to the absence of frequent interruptions to effect colour change.

MARKING ROAD SIGNS AND CURVES

Airless paint gun can be released within a few seconds of its support, thanks to the different lengths of airless hose to which it is connected, it allows any work like marking road signs and painting walls.

The front wheel facilitates marking lines up to the sidewalk and easy marking of bows and curves.

INTUITIVE USE BY THE OPERATOR

Operator controls are in front of the handlebar to adjust the road marking machines operation with extreme manageability.

EASY OPERATION, CLEANING AND MAINTENANCE

The cleaning of the airless marking machine is fast due to the absence

of pressurized tank to be cleaned and therefore change times colour are very short lived.

The high pressure of the road marking airless machine does not require therefore a preventive cleaning of the ground.

Regular cleaning at work is enough to keep it the machine in

perfect efficiency even after long periods of inactivity. samoa Super Fast Clean airless nozzles allow cleaning of the nozzle with a simple rotating movement, without have to disassemble it.



AIRLESS ROAD MARKING MACHINES DIAPHRAGM PUMP

FROM SAMOA PROVEN STRIPING TECHNOLOGY A WIDE RANGE OF ROAD-MARKING AND PAVEMENT MAINTENANCE EQUIPMENT.



CHOOSE YOUR CONFIGURATION

MODEL		DALÌ PLUS		GIOTTO			
PART No.	LA18383	LA18382	LA18382/1	LA4081	LA4080	LA4080/1	
PETROL ENGINE POWER	4,8 HP	4,8 HP	4,8 HP	11,7 HP	11,7 HP	11,7 HP	
MAX. FLOW RATE	4 I/min	4 l/min	4 I/min	8 l/min	8 I/min	8 I/min	
MAX. PRESSURE	220 bar	220 bar	220 bar	220 bar	220 bar	220 bar	
MANUAL PUSH	•	•	•	-	-	-	
SELF PROPELLED	-	-	-	•	•	•	
HEAD CONTROL SYSTEM	-	-	-	-	-	•	
AUTOMATIC MARKING LINES KIT	-	-	-	-	-	•	
GLASS BEADS KIT	-	-	•	-	-	-	
FLASHING TELESCOPIC ROD	-	-	-	•	•	•	
23 L PAINT CAN	•	-	-	-	-	-	
50 L GRAVITY TANK	-	•	•	•	•	•	
Ø 1/4" - M16 X 1,5 - 10 M AIRLESS HOSE	•	•	•	•	•	•	
RECIRCULATION HOSE	•	•	•	•	•	•	
FILTER WITH PRESSURE GAUGE	•	•	•	•	•	•	
1 AT250 AIRLESS MANUAL SPRAY GUN	•	•	-	•	-	-	
2 AT250 AIRLESS MANUAL SPRAY GUNS	-	-	•	-	•	•	
2 LA96 AIRLESS AUTOMATIC SPRAY GUNS	-	-	-	-	-	•	
AIRLESS NOZZLE HOLDER	•	•	•	•	•	•	
SUPER FAST CLEAN AIRLESS SPRAYING NOZZLES	•	•	•	•	•	•	
1 COLOUR	•	•	•	•	•	•	
1 SINGLE LINE: CONTINUOUS - DASHED	•	•	•	-	-	-	
2 DOUBLE LINES: Continuous - Dashed - Mixed	-	-	-	•	•	•	
TOOLS KIT	•	•	•	•	•	•	



AIRLESS ROAD MARKING MACHINES PISTON PUMP

SAMOA ON THE ROAD. THE BEST MARKING ON YOUR SIDE





		_		~	_		_			-	_						A	-		
ш	н	п	ш	┕	┣.	V	ш		U	C	ш	м	ы	П	ш	v	Λ	ш		M
ы	ш	u	u	J	_	ш	u	u	\mathbf{r}		u	IV		ш	u	п	п		ıu	IV

MODEL	EXCA	LIBUR		ZE	:US			DRA	GON		EVEREST TH
PART No.	LA4861	LA4860	LA4561	LA4560	LA4591	LA4590	LA4595	LA4596	LA4597	LA4598	LA4000
PETROL ENGINE POWER	4,8 HP	4,8 HP	8,4 HP	11,7 HP							
MAX. FLOW RATE	2,2 l/min	2,2 l/min	4,5 l/min	4,5 l/min	4,5 l/min	4,5 l/min	6,5 l/min	6,5 l/min	6,5 l/min	6,5 l/min	9 l/min
MAX. PRESSURE	220 bar										
MANUAL PUSH	•	•	•	•	•	•	•	•	•	•	-
SELF PROPELLED	-	-	-	-	-	-	-	-	-	-	•
HEAD CONTROL SYSTEM	-	-	-	-	-	-	-	-	-	-	•
AUTOMATIC MARKING LINES KIT	-	-	-	-	-	-	-	-	-	-	•
GLASS BEADS KIT	-	-	-	-	-	-	-	-	-	-	•
FLASHING TELESCOPIC ROD KIT	-	-	-	-	-	-	-	-	-	-	•
WORKING LIGHT KIT	-	-	-	-	-	-	-	-	-	-	•
OPERATOR FOOT BOARD KIT	-	-	-	-	-	-	-	-	-	-	•
PISTON TYPE ACCUMULATOR	•	•	•	•	•	•	•	•	•	•	•
23 L PAINT CAN	•	-	•	-	•	-	•	-	•	-	-
50 L GRAVITY TANK	-	•	-	•	-	•	-	•	-	•	•
Ø 1/4" - M16 X 1,5 - 10 m AIRLESS HOSE	•	•	•	•	•	•	-	-	-	-	-
Ø 1/4" - M16 X 1,5 - 15 m AIRLESS HOSE	-	-	-	-	-	-	•	•	•	•	•
RECIRCULATION HOSE	•	•	•	•	•	•	•	•	•	•	•
FILTER WITH PRESSURE GAUGE	•	•	•	•	•	•	•	•	•	•	•
1 AT250 AIRLESS MANUAL SPRAY GUN	•	•	•	•	-	-	•	•	-	-	•
2 AT250 AIRLESS MANUAL Spray guns	-	-	-	-	•	•	-	-	•	•	-
2 LA96 AIRLESS AUTOMATIC Spray guns	-	-	-	-	-	-	-	-	-	-	•
AIRLESS NOZZLE HOLDER	•	•	•	•	•	•	•	•	•	•	•
SUPER FAST CLEAN AIRLESS SPRAYING NOZZLES	•	•	•	•	•	•	•	•	•	•	•
1 COLOUR	•	•	•	•	•	•	•	•	•	•	•
1 SINGLE LINE: Continuous - Dashed	•	•	•	•	-	-	•	•	-	-	-
2 DOUBLE LINES: Continuous - Dashed - Mixed	-	-	-	-	•	•	-	-	•	•	•
TOOLS KIT	•	•	•	•	•	•	•	•	•	•	•



AIRLESS BATTERY ROAD MARKING MACHINE PISTON PUMP

SAMOA EXPERIENCE MAKES THE DIFFERENCE: PROVEN PERFORMANCE FOR DEFINED LINES




CHOOSE YOUR CONFIGURATION

MODEL	ECO K21
PART No.	LA4200
ELECTRIC ENGINE	0,75 Kw
BATTERY ENGINE	960 A/h (4 batteries)
MAX. FLOW RATE	2,2 l/min
MAX. PRESSURE	220 bar
SELF-PROPELLED	•
HEAD CONTROL SYSTEM	•
AUTOMATIC MARKING LINES KIT	-
FLASHING TELESCOPIC ROD KIT	•
WORKING LIGHT KIT	-
OPERATOR FOOTBOARD KIT	-
PISTON TYPE ACCUMULATOR	•
50 L GRAVITY TANK	•
Ø 1/4" - M16 X 1,5 - 10 M AIRLESS HOSE	•
RECIRCULATION HOSE	•
FILTER WITH PRESSURE GAUGE	•
1 AT250 AIRLESS MANUAL SPRAY GUN	•
AIRLESS NOZZLE HOLDER	•
SUPER FAST CLEAN AIRLESS SPRAYING NOZZLES	•
1 COLOUR	•
1 SINGLE FILTER LINE PUT: CONTINUOUS - DASHED	•
BATTERY CHARGER	•
TOOLS KIT	•



DALÌ PLUS AIRLESS LINE MARKER

HIGH PRESSURE - MANUAL PUSH - DIAPHRAGM PUMP 4 L/MIN - 220 BAR - 4,8 HP HONDA PETROL ENGINE



APPLICATIONS

MEDIUM SIZE MARKING - MAINTENANCE - PAINTING JOBS

- Roads Highways
- Galleries Road tunnels
- Cycle runway
- · Outdoor and underground parking
- Playgrounds
- Sports circuits
- Public and private areas
- Airports

MATERIALS

WATER OR SOLVENT PAINT WITHOUT SUSPENDED PARTICLES

LINE TYPE

SINGLE LINE

- 1 Colour
- · Continuous Dashed
- Width from 5 to 30 cm





DALÌ PLUS SERIES

TECHNICAL DATA						
SERIES	DALÌ PLUS					
MODELS	Manual push - Diaphragm pump					
MAX. PRESSURE	220 bar					
MAX. FLOW RATE	4 l/min					
HONDA PETROL ENGINE	4,8 HP					
AIRLESS PAINT CAPACITY	23 I paint can - 50 I gravity tank					
DIMENSIONS	1.250 x 820 x 1.400 mm					
WEIGHT	120 kg					



PART No.	MANUAL PUSH	23 L Paint Can	50 L Gravity Tank	GLASS BEADS KIT	AIRLESS HOSE	AT250 AIRLESS MANUAL GUN	AIRLESS NOZZLE HOLDER	SUPER FAST CLEAN AIRLESS NOZZLES
LA18383	•	•	-	-	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°1 PART No.LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N° 1 LASFC 11-40 N° 1 LASFC 13-40 N° 1 LASFC 15-40
LA18382	•	-	•	-	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N° 1 LASFC 11-40 N° 1 LASFC 13-40 N° 1 LASFC 15-40
LA18382/1	•	-	•	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°2 PART No. LA11210 M16 x 1,5 inlet swivel		N° 2 LASFC 13-40 N° 2 LASFC 15-40 N° 2 LASFC 19-40

DALÌ PLUS series includes:

LA4840

Gun handling + Front pivot


filter with pressure gauge, recirculation hose and tools box.

ACCESSO	RIES	
PART No.	DESCRIPTION	DADT No. 1 A4 0000 /4
LA35015	Airless hose Ø 1/4" - M16 x 1,5 inlet swivel - 10 m	PART No. LA18382/1 Dalì PLUS airless lines striper
LA11200	AT250 manual airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder	with glass beads dispenser kit
LA11210	AT250 manual airless spray gun - M16 x 1,5 inlet swivel	
LA18270	11/16" Europe W airless nozzle holder	V. Inc.
LASFC	Super Fast Clean airless nozzle. Size from 11-20 to 51-80	
LATSC	Top Spraying Clean airless nozzle. Size from 7-10 to 31-60	
LA18240	50 I Gravity tank	
LA18245	50 I Gravity tank + Cover	
LA18241	50 I Gravity tank + Cover+ Basket	
LA4500	11 I Gravity tank + Glass beads diffuser hose	
LA19510	11 I glass beads gravity tank	
LA19510/1	Over 11 I glass beads gravity tank	
KITS		
PART No.	DESCRIPTION	
LA200270	Complete kit for second airless gun for PART No. LA18383 and PART No. LA18382. (mounting kit PART No. LA4307 $+$ airless gun PART No. LA11200 $+$ airless nozzles PART No. LASFC 11 $-$ 40 / 13 $-$ 40 / 15 $-$ 40)	
LA4307	Mounting kit for second airless gun (airless gun not included)	
LA18359	11 I Gravity tank + 1 Diffuser hose + 1 Glass beads manual spray gun kit	
LA18359/2	11 I Gravity tank + 2 Diffuser hoses + 2 Glass beads manual spray guns kit	
LA4038	Laser pointer kit	



GIOTTO AIRLESS LINE MARKER

HIGH PRESSURE - SELF-PROPELLED - DIAPHRAGM PUMP 8 L/MIN - 220 BAR - 11,7 HP HONDA PETROL ENGINE



APPLICATIONS

BIG SIZE MARKING - MAINTENANCE - PAINTING JOBS

- · Roads Highways
- Galleries Road tunnels
- Cycle runway
- · Outdoor and underground parking
- Playgrounds
- Sports circuits
- · Public and private areas
- Airports

MATERIALS

PART No. LA4080

WATER OR SOLVENT PAINT WITHOUT SUSPENDED PARTICLES

LINE TYPE

DOUBLE LINE

- 1 Colour
- Continuous Dashed Mixed
- Width from 5 to 30 cm







GIOTTO SERIES

TECHNICAL DATA	
SERIES	GIOTTO
MODELS	Self-propelled - Diaphragm pump
MAX. PRESSURE	220 bar
MAX. FLOW RATE	8 l/min
HONDA PETROL ENGINE	11,7 HP
AIRLESS PAINT CAPACITY	50 I gravity tank
DIMENSIONS	1.430 x 1.930 x 1.560 mm
WEIGHT	300 kg

PART No.	SELF Propelled	AUTOMATIC Marking	50 L Gravity Tank	AIRLESS HOSE	AT250 AIRLESS Manual Gun	LA96 AIRLESS AUTOMATIC GUN	AIRLESS NOZZLE HOLDER	SUPER FAST CLEAN AIRLESS NOZZLES
LA4081	•	-	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	-	N° 1 PART No. LA18270	N° 1 LASFC 11-40 N° 1 LASFC 13-40 N° 1 LASFC 17-40
LA4080	•	-	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°2 PART No. LA11210 M16 x 1,5 inlet swivel	-	N° 2 PART No. LA18270	N° 2 LASFC 11-40 N° 2 LASFC 13-40 N° 2 LASFC 17-40
LA4080/1	•	•	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°2 PART No. LA11210 M16 x 1,5 inlet swivel	N°2 PART No. LA11708 M16 x 1,5 inlet swivel	N° 4 PART No. LA18270	N° 2 LASFC 11-40 N° 2 LASFC 13-40 N° 2 LASFC 17-40 N° 2 LASFC 19-40

GIOTTO series includes:

filter with pressure gauge, recirculation hose, flashing telescopic rod and tools box.


ACCESSO	ACCESSORIES						
PART No.	DESCRIPTION						
LA35015	Ø 1/4" - M16 x 1,5 inlet swivel - 10 m Airless hose						
LA11200	AT250 manual airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder						
LA11210	AT250 manual airless spray gun - M16 x 1,5 inlet swivel						
LA18270	11/16" Europe W airless nozzle holder						
LASFC	Super Fast Clean airless nozzle. Size from 11-20 to 51-80						
LATSC	Top Spraying Clean airless nozzle. Size from 7-10 to 31-60						
LA18240	50 I Gravity tank						
LA18245	50 I Gravity tank + Cover						
LA18241	50 I Gravity tank + Cover+ Basket						
LA4500	11 I Gravity tank + Glass beads diffuser hose						
LA26000	Operator footboard						
LA4720	Seat kit						
LA19510	11 I glass beads gravity tank						
LA19510/1	Cover 11 I glass beads gravity tank						

KITS						
PART No.	DESCRIPTION					
LA18359	11 Gravity tank + 1 Diffuser hose + 1 Glass beads manual spray gun kit					
LA18359/2	11 I Gravity tank + 2 Diffuser hoses + 2 Glass beads manual spray guns kit					
LA4405/3	11 I Gravity tank + 2 Diffuser hoses + 2 Glass beads automatic spray guns kit					



EXCALIBUR AIRLESS LINE MARKER

HIGH PRESSURE - MANUAL PUSH - PISTON PUMP 2,2 L/MIN - 220 BAR - 4,8 HP HONDA PETROL ENGINE



Defined line on every type of surface AT250 airless manual spray gun mounted on an adjustable block: it is possible to modify the spray pattern by changing the height of the gun or nozzle.

APPLICATIONS

MEDIUM SIZE MARKING -MAINTENANCE - PAINTING JOBS

- Roads Highways
- Galleries Road tunnels
- Cycle runway
- Outdoor and underground parking
- Sports circuits
- Public and private areas
- Airports

MATERIALS

WATER OR SOLVENT PAINT WITHOUT SUSPENDED PARTICLES

LINE TYPE

SINGLE LINE

- 1 Colour
- · Continuous Dashed
- Width from 5 to 30 cm







EXCALIBUR SERIES



TECHNICAL DATA					
SERIES	EXCALIBUR				
MODELS	Manual push - Piston pump				
MAX. PRESSURE	220 bar				
MAX. FLOW RATE	2,2 l/min				
HONDA PETROL ENGINE	4,8 HP				
AIRLESS PAINT CAPACITY	23 I paint can - 50 I gravity tank				
DIMENSIONS	1.400 x 820 x 1.250 mm				
WEIGHT	PART No. LA4861, 108 kg PART No. LA4860, 150 kg				

PART No.	MANUAL PUSH	23 L Paint Can	50 L Gravity Tank	AIRLESS HOSE	AT250 AIRLESS Manual Gun	AIRLESS NOZZLE HOLDER	SUPER FAST CLEAN AIRLESS NOZZLES
LA4861	•	•	-	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N° 1 LASFC 11-40 N° 1 LASFC 13-40 N° 1 LASFC 15-40
LA4860	•	-	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N° 1 LASFC 11-40 N° 1 LASFC 13-40 N° 1 LASFC 15-40

EXCALIBUR series includes:

filter with pressure gauge, recirculation hose and tools box.


ACCESSORIES				
PART No.	DESCRIPTION			
LA35015	Ø 1/4" - M16 x 1,5 inlet swivel - 10 m Airless hose			
LA11200	AT250 manual airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder			
LA11210	AT250 manual airless spray gun - M16 x 1,5 inlet swivel			
LA18270	11/16" Europe W airless nozzle holder			
LASFC	Super Fast Clean airless nozzle. Size from 11-20 to 51-80			
LATSC	Top Spraying Clean airless nozzle. Size from 7-10 to 31-60			
LA18240	50 I Gravity tank			
LA18245	50 I Gravity tank + Cover			
LA18241	50 I Gravity tank + Cover+ Basket			
LA4500	11 I Gravity tank + Glass beads diffuser hose			
LA19510	11 I glass beads gravity tank			
LA19510/1	Cover 11 I glass beads gravity tank			

KITS				
PART No.	DESCRIPTION			
LA200271	Complete kit for second airless gun for PART No. LA4861 and PART No. LA4860. (mounting kit PART No. LA4307/1 + airless gun PART No. LA11200 + airless nozzles PART No. LASFC 11-40 / 13-40 /15-40)			
LA4307/1	Mounting kit for second airless gun (airless gun not included)			
LA18359	11 I Gravity tank + 1 Diffuser hose + 1 Glass beads manual spray gun kit			
LA18359/2	11 I Gravity tank + 2 Diffuser hoses + 2 Glass beads manual spray guns kit			
LA4038	Laser pointer kit			
LA4840	Gun handling + Front pivot			



ZEUS AIRLESS LINE MARKER

HIGH PRESSURE - MANUAL PUSH - PISTON PUMP 4,5 L/Min - 220 Bar - 8,4 HP Honda Petrol Engine



APPLICATIONS

MEDIUM SIZE MARKING -MAINTENANCE - PAINTING JOBS

- Roads Highways
- Galleries Road tunnels
- Cycle runway
- · Outdoor and underground parking
- Sports circuits
- Public and private areas
- Airports

MATERIALS


WATER OR SOLVENT PAINT WITHOUT SUSPENDED PARTICLES

LINE TYPE

SINGLE LINE

- 1 Colour
- Continuous Dashed
- Width from 5 to 30 cm







ZEUS SERIES

TECHNICAL DATA				
SERIES	ZEUS			
MODELS	Manual push - Piston pump			
MAX. PRESSURE	220 bar			
MAX. FLOW RATE	4,5 l/min			
HONDA PETROL ENGINE	8,4 HP			
AIRLESS PAINT CAPACITY	23 I paint can - 50 I gravity tank			
DIMENSIONS	1.105 x 1.700 x 850 mm			
WEIGHT	150 kg			



PART No.	MANUAL PUSH	23 L Paint Can	50 L Gravity Tank	AIRLESS HOSE	AT250 AIRLESS Manual Gun	AIRLESS Nozzle Holder	SUPER FAST CLEAN AIRLESS NOZZLES
LA4561	•	•	-	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N° 1 LASFC 11-40 N° 1 LASFC 13-40 N° 1 LASFC 15-40
LA4560	•	-	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N° 1 LASFC 11-40 N° 1 LASFC 13-40 N° 1 LASFC 15-40
LA4591	•	•	-	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N° 2 Part. No LA11210 M16 x 1,5 inlet swivel	N° 2 PART No. LA18270	N° 2 LASFC 11-40 N° 2 LASFC 13-40 N° 2 LASFC 15-40
LA4590	•	-	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m	N° 2 Part. No LA11210 M16 x 1,5 inlet swivel	N° 2 PART No. LA18270	N° 2 LASFC 11-40

ZEUS series includes:

filter with pressure gauge, recirculation hose and tools box.


ACCESSORIES			
PART NO.	DESCRIPTION		
LA35015	Ø 1/4" - M16 x 1,5 inlet swivel - 10 m Airless hose		
LA11200	AT250 manual airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder		
LA11210	AT250 manual airless spray gun - M16 x 1,5 inlet swivel		
LA18270	11/16" Europe W airless nozzle holder		
LASFC	Super Fast Clean airless nozzle. Size from 11-20 to 51-80		
LATSC	Top Spraying Clean airless nozzle. Size from 7-10 to 31-60		
LA18240	50 I Gravity tank		
LA18245	50 I Gravity tank + Cover		
LA18241	50 I Gravity tank + Cover+ Basket		
LA4500	11 I Gravity tank + Glass beads diffuser hose		
LA19510	11 I glass beads gravity tank		
LA19510/1	Cover 11 I glass beads gravity tank		

KITS				
PART No.	DESCRIPTION			
LA200271	Complete kit for second airless gun for PART No. LA4561 and PART No. LA4560. (mounting kit PART No. LA4307/1 + airless gun PART No. LA11200 + airless nozzles PART No. LASFC 11- 40 / 13 - 40 / 15 - 40)			
LA4307/1	Mounting kit for second airless gun (airless gun not included)			
LA18359	11 I Gravity tank + 1 Diffuser hose + 1 Glass beads manual spray gun kit			
LA18359/2	11 Gravity tank + 2 Diffuser hoses + 2 Glass beads manual spray guns kit			
LA4038	Laser pointer kit			
LA4840	Gun handling + Front pivot			



DRAGON AIRLESS LINE MARKER

HIGH PRESSURE - MANUAL PUSH - PISTON PUMP 6,5 L/MIN - 220 BAR - 8,4 HP HONDA PETROL ENGINE



APPLICATIONS

BIG SIZE MARKING - MAINTENANCE - PAINTING JOBS

- Roads Highways
- Galleries Road tunnels
- Cycle runway
- Outdoor and underground parking
- Sports circuits
- · Public and private areas
- Airports

MATERIALS

to modify the spray pattern by changing the height of the gun or nozzle.

WATER OR SOLVENT PAINT WITHOUT SUSPENDED PARTICLES

LINE TYPE

DOUBLE LINE

- 1 Colour
- . Continuous Dashed Mixed
- Width from 5 to 30 cm







DRAGON SERIES

TECHNICAL DATA				
SERIES	DRAGON			
MODELS	Manual push - Piston pump			
MAX. PRESSURE	220 bar			
MAX. FLOW RATE	6,5 l/min			
HONDA PETROL ENGINE	8,4 HP			
AIRLESS PAINT CAPACITY	23 I paint can - 50 I gravity tank			
DIMENSIONS	1.430 x 1.930 x 1.560 mm			
WEIGHT	PART No. LA4595, 230 kg - PART No. LA4596, 300 kg			

PART No.	MANUAL Push	23 L PAINT CAN	50 L Tank	AIRLESS HOSE	AT250 MANUAL AIRLESS GUN	AIRLESS NOZZLE HOLDER	SUPER FAST CLEAN AIRLESS NOZZLES
LA4595	•	•	-	N°1 PART No. LA18026 Ø 1/4" - M16 x 1,5 - 15 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N°1 LASFC 13-40 N°1 LASFC 17-40 N°1 LASFC 21-40
LA4596	•	-	•	N°1 PART No. LA18026 Ø 1/4" - M16 x 1,5 - 15 m	N°1 PART No. LA11210 M16 x 1,5 inlet swivel	N°1 PART No. LA18270	N°1 LASFC 13-40 N°1 LASFC 17-40 N°1 LASFC 21-40
LA4597	•	•	-	N°1 PART No. LA18026 Ø 1/4" - M16 x 1,5 - 15 m	N°2 PART No. LA11210 M16 x 1,5 inlet swivel	N°2 PART No. LA18270	N°2 LASFC 13-40 N°2 LASFC 17-40 N°2 LASFC 21-40
LA4598	•	-	•	N°1 PART No. LA18026 Ø 1/4" - M16 x 1,5 - 15 m	N°2 PART No. LA11210 M16 x 1,5 inlet swivel	N°2 PART No. LA18270	N°2 LASFC 13-40 N°2 LASFC 17-40 N°2 LASFC 21-40

DRAGON series includes: filter with pressure gauge, recirculation hose, tools box.


ACCESSORIES				
PART No.	DESCRIPTION			
LA18026	Ø 1/4" - M16 x 1,5 inlet swivel - 15 m Airless hose			
LA11200	AT250 manual airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder			
LA11210	AT250 manual airless spray gun - M16 x 1,5 inlet swivel			
LA18270	11/16" Europe W airless nozzle holder			
LASFC	Super Fast Clean airless nozzle. Size from 11-20 to 51-80			
LATSC	Top Spraying Clean airless nozzle. Size from 7-10 to 31-60			
LA18240	50 I Gravity tank			
LA18245	50 I Gravity tank + Cover			
LA18241	50 I Gravity tank + Cover + Basket			
LA4500	11 I Gravity tank + Glass beads diffuser hose			
LA26000	Operator footboard			
LA4720	Seat kit			
LA19510	11 I glass beads gravity tank			
LA19510/1	Cover 11 I glass beads gravity tank			

KITS					
PART No.	DESCRIPTION				
LA18359	11 I Gravity tank + 1 Diffuser hose + 1 Glass beads manual spray gun kit				
LA18359/2	11 I Gravity tank + 2 Diffuser hoses + 2 Glass beads manual spray guns kit				
LA4405/3	11 I Gravity tank + 2 Diffuser hoses + 2 Glass beads automatic spray guns kit				
LA4038	Laser pointer kit				
LA4506	Working light kit				
LA4507	Flashing telescopic rod kit				
LA4839	Pneumatic gun handling + Front pivot				



EVEREST TH AIRLESS LINE MARKER

HIGH PRESSURE - SELF PROPELLED - AUTOMATIC MARKING - PISTON PUMP 9 L /MIN - 220 BAR - 11,7 HP HONDA PETROL ENGINE



APPLICATIONS

BIG SIZE MARKING - MAINTENANCE - PAINTING JOBS

- Roads Highways
- Galleries Road tunnels
- · Cycle runway
- Outdoor and underground parking
- Sports circuits
- Public and private areas
- Airports

MATERIALS

WATER OR SOLVENT PAINT WITHOUT SUSPENDED PARTICLES

LINE TYPE

DOUBLE LINE

- 1 Colour
- Continuous Dashed Mixed
- Width from 5 to 30 cm







EVEREST TH SERIES

TECHNICAL DATA				
SERIES	EVEREST TH			
MODELS	Self-propelled - Piston pump			
MAX. PRESSURE	220 bar			
MAX. FLOW RATE	9 I/min			
HONDA PETROL ENGINE	11,7 HP			
AIRLESS PAINT CAPACITY	50 I gravity tank (100 I on request)			
DIMENSIONS	1.920 x 1.450 x 1.580 mm			
WEIGHT	350 kg			

PART No.	SELF PROPELLED	50 L Gravity Tank	AUTOMA- TIC MARKING	AIRLESS HOSE	AT250 MANUAL AIRLESS GUN	LA96 AUTOMATIC AIRLESS GUN	AIRLESS Nozzle Holder	SUPER FAST CLEAN AIRLESS NOZZLES
LA4000	•	•	•	N°1 PART No. LA18026 Ø 1/4" - M16x1,5 - 15 m	N°1 PART No. LA11210 M16x1,5 inlet swivel	N°2 PART No. LA11708 M16x1,5 inlet swivel	N°3 PART No. LA18270	N°2 LASFC 13-40 N°2 LASFC 17-40 N°2 LASFC 21-40

EVEREST TH series includes:

filter with pressure gauge, recirculation hose, working light, flashing telescopic rod, footboard kit, piston accumulator, gun handling + front pivot and tools box.

ACCESSORIES				
PART No.	DESCRIPTION			
LA18026	Ø 1/4" - M16 x 1,5 inlet swivel - 15 m Airless hose			
LA11200	AT250 manual airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder			
LA11210	AT250 manual airless spray gun - M16 x 1,5 inlet swivel			
LA11701	LA96 automatic airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder			
LA11708	LA96 automatic airless spray gun - M16 x 1,5 inlet swivel			
LA18270	11/16" Europe W airless nozzle holder			
LASFC	Super Fast Clean airless nozzle. Size from 11-20 to 51-80			
LATSC	Top Spraying Clean airless nozzle. Size from 7-10 to 31-60			
LA18240	50 I Gravity tank			
LA18245	50 I Gravity tank + Cover			
LA18241	50 I Gravity tank + Cover + Basket			
LA4500	11 I Gravity tank + Glass beads diffuser hose			
LA26000	Operator footboard			
LA4720	Seat kit			
LA4756	Piston accumulator			
LA19510	Serbatoio a gravità 11 I per sfere di vetro riflettenti			
LA19510/1	Coperchio serbatoio a gravità 11 I per sfere di vetro riflettenti			

KITS				
PART No.	DESCRIPTION			
LA4307	Mounting kit for second airless gun (airless gun not included)			
LA18359	11 I Gravity tank+ 1 Diffuser hose + 1 Glass beads manual spray gun kit			
LA18359/2	11 Gravity tank + 2 Diffuser hoses + 2 glass beads manual spray guns kit			
LA4405/3	11 Gravity tank + 2 Diffuser hoses + 2 Glass beads automatic spray guns kit			
LA4506	Working light kit			
LA4038	Laser pointer kit			
LA4507	Flashing telescopic rod kit			
LA4839	Pneumatic gun handling + Front pivot wheel			



ECO K21 AIRLESS LINE MARKER

HIGH PRESSURE - SELF PROPELLED - PISTON PUMP 2,2 L/MIN - 220 BAR - 0,75 KW BATTERY POWER



APPLICATIONS

MEDIUM SIZE MARKING - MAINTENANCE - PAINTING JOBS

- Internal logistic marking in all areas where line strippers with petrol engine motor are off-limits
- Roads Highways
- Galleries Road tunnels
- Cycle runway
- · Outdoor and underground parking
- Sports circuits
- · Public and private areas
- Airports

MATERIALS

WATER OR SOLVENT PAINT WITHOUT SUSPENDED PARTICLES

LINE TYPE

DOUBLE LINE

- 1 Colour
- · Continuous Dashed
- Width from 5 to 30 cm







ECO K21 SERIES

TECHNICAL DATA				
SERIES	ECO K21			
MODEL	Battery			
MAX. PRESSURE	220 bar			
MAX. FLOW RATE	2,2 l/m			
MOTOR ELECTRIC POWER	0,75 kw			
BATTERY ENGINE	960 A/h (4 batteries)			
AIRLESS PAINT CAPACITY	50 I gravity tank			
DIMENSIONS	1.920 x 1.450 x 1.580 mm			
WEIGHT	280 kg			

PART No.	BATTERY	SELF PROPELLED	50 L Gravity tank	AIRLESS HOSE	AT250 MANUAL AIRLESS GUN	AIRLESS NOZZLE HOLDER	SUPER FAST CLEAN AIRLESS NOZZLES
LA4200	•	•	•	N°1 PART No. LA35015 Ø 1/4" - M16 x 1,5 - 10 m		N°1 PART No. LA18270	N°1 LASFC 11-40 N°1 LASFC 13-40 N°1 LASFC 17-40

ECO K21 series includes:

filter with pressure gauge, recirculation hose, flashing telescopic rod kit, battery charger and tools box.

ACCESSORIES				
PART NO.	DESCRIPTION			
LA18026	Airless hose Ø 1/4" - M16 x 1,5 inlet swivel - 15 m			
LA11200	AT250 manual airless spray gun - M16 x 1,5 inlet swivel + Nozzle holder			
LA11210	AT250 manual airless spray gun - M16 x 1,5 inlet swivel			
LA18270	Europe 11/16 " W airless nozzle holder			
LASFC	Super Fast Clean airless nozzle. Size from 11-20 to 51-80			
LATSC	Top Spraying Clean airless nozzle. Size from 7-10 to 31-60			
LA18240	50 I Gravity tank			
LA18245	50 I Gravity tank + Cover			
LA18241	50 Gravity tank + Cover + Basket			
LA4500	11 I Gravity tank + Glass beads diffuser hose			
LA26000	Operator footboard			
LA4720	Seat kit			
LA4605	Battery charger			
LA19510	11 I glass beads gravity tank			
LA19510/1	Cover 11 I glass beads gravity tank			

KITS					
PART No.	DESCRIPTION				
LA200272	Complete kit for second airless gun (mounting kit PART No. LA4307/1 + airless gun PART No. LA11200 + airless nozzles PART No. LASFC 11-40 / 13-40 /17-40)				
LA4307/1	Mounting kit for second airless gun (airless gun not included)				
LA18359	11 I Gravity tank + 1 Diffuser hose + 1 Glass beads manual spray gun				
LA18359/2	11 I Gravity tank + 2 Diffuser hoses + 2 Glass beads manual spray guns				
LA4038	Laser pointer kit				
LA4506	Working light kit				
LA4507	Flashing telescopic rod kit				



ORIGINAL ACCESSORIES FOR HIGH PERFORMANCE

AIRLESS SPRAY GUNS. CONSTANT FLOW FOR DEFINED LINES

AT250 SERIES. MANUAL AIRLESS SPRAY FINISHING GUNS SUPERIOR ATOMIZATION, FAST APPLICATION, SAVE MATERIAL.

- ALUMINIUM GUN BODY AND ERGONOMIC HANDLE
- · HIGH TRANSFER EFFICIENCY
- REDUCED OVERSPRAY PRODUCTION
- LONG CYCLE OF USE



PART No.	DESCRIPTION
LA11200	AT250 manual airless gun - M16 x 1,5 inlet swivel + Nozzle holder
LA11210	AT250 manual airless gun - M16 x 1,5 inlet swivel

ACTIVATION	MANUAL
MAX. FLUID PRESSURE	250 bar
MAX. FLUID TEMPERATURE	50 °C
-LUID INLET	M16 x 1,5
VEIGHT	650 g
MATERIALS	IN CONTACT WITH FLUID
Aluminium Ctainlaga Ctaal (Calvanized steel Hard motel DTEE Proce

Aluminium - Stainless Steel - Galvanized steel - Hard metal - PTF



PART No. LA11200

PART No. LA11039/25
PART No. LA11037/25
PART No. LA11019/25
PART No. LA11038/25

SPRAY AIRLESS GUN BUTT FILTERS

PART No.	DESCRIPTION	COLOUR	MESH	QUANTITY
LA11039/25	Butt filter	Green	30	25
LA11038/25	Butt filter	White	60	25
LA11037/25	Butt filter	Yellow	100	25
LA11019/25	Butt filter	Red	200	25

LA96 SERIES. AUTOMATIC AIRLESS SPRAY FINISHING GUNS

SUPERIOR ATOMIZATION, FAST APPLICATION, SAVE MATERIAL.

- · COMPACT AND ROBUST GUN BODY DESIGN TO INTEGRATE IN ALL WORKING AREAS
- HIGH TRANSFER EFFICIENCY
- REDUCED OVERSPRAY
- LONG CYCLE OF USE



PART No.	DESCRIPTION
LA11701	LA96 automatic airless gun - M16 x 1,5 inlet swivel + Nozzle holder
LA11708	LA96 automatic airless gun - M16 x 1,5 inlet swivel

TECHNICAL DATA	
ACTIVATION	AUTOMATIC
MAX. FLUID PRESSURE	300 bar
OPENING AIR PRESSURE RANGE	2 - 6 bar
MAX. FLUID TEMPERATURE	90 °C
AIR INLET	Ø 6 mm
FLUID INLET	M16 x 1,5
WEIGHT	754 g
MATERIALS IN CO	NTACT WITH FLUID

MATERIALS IN CONTACT WITH FLUID

Stainless Steel - Hard metal- PTFE



PART No. LA11701



PERFORMING AIRLESS SPRAYING NOZZLES & HIGH PRESSURE HOSES

AIRLESS NOZZLE HOLDER PART No. DESCRIPTION LA18270 11/16" W Europe airless nozzle holder



AIRLESS SPRAYING NOZZLES

HOMOGENEOUS COVERAGE: THE OPTIMIZED DESIGN OF THE PAINT NOZZLE MAKES THE PRODUCT FLOW MORE EFFICIENT.

- · COMPATIBLE WITH A WIDE RANGE OF PAINT PRODUCTS
- TUNGSTEN CARBIDE STRUCTURE
- STAINLESS STEEL PTFE GASKET
- QUICK AND EASY CLEANING





AIRLESS SUPER FAST CLEAN NOZZLES						
PART No.	SIZE	L/MIN 200 BAR				
LASFC 11	20 - 40	0,55				
LASFC 13	20 - 40 - 60	0,80				
LASFC 15	20 - 40 - 60	1,10				
LASFC 17	20 - 40 - 60	1,41				
LASFC 19	10 - 20 - 40 - 60	1,77				
LASFC 21	20 - 40 - 60	2,15				
LASFC 23	20 - 40 - 60	2,57				
LASFC 25	20 - 40 - 60	2,90				
LASFC 27	20 - 40 - 60 - 80	3,50				
LASFC 29	20 - 40 - 60 - 80	4,30				
LASFC 31	40 - 60 - 80	4,83				
LASFC 33	40 - 60 - 80	5,50				
LASFC 35	40	6,00				
LASFC 37	40	6,70				
LASFC 39	40 - 60 - 80	7,10				
LASFC 41	40	8,10				
LASFC 43	40 - 60 - 80	9,67				
LASFC 45	60	9,80				
LASFC 47	60	10,70				
LASFC 51	40 - 60 - 80	12,20				

AIRLESS TOP SPRAYING CLEAN NOZZLES						
PART No.	SIZE	L/MIN 200 BAR				
LATSC 7	10 - 20 - 40	0,26				
LATSC 9	20 - 40	0,35				
LATSC 11	10 - 20 - 40	0,55				
LATSC 13	20 - 40 - 60	0,80				
LATSC 15	10 - 20 - 40 - 60	1,10				
LATSC 17	20 - 40 - 60	1,41				
LATSC 19	20 - 40 - 60	1,77				
LATSC 21	10 - 20 - 40 - 60	2,15				
LATSC 23	10 - 20 - 40 - 60	2,57				
LATSC 27	10 - 20 - 40 - 60	3,50				
LATSC 31	10 - 40 - 60	4,83				

GET THE RIGHT LINE WIDTH WITH THE RIGHT LASFC AIRLESS SPRAY TIPS

	IN	mm	LASFC 13	LASFC 15	LASFC 17	LASFC 19	LASFC 21	LASFC 23	LASFC 25	LASFC 27	LASFC 29	LASFC 31	LASFC 33	LASFC 35	LASFC 39	LASFC 43
	2 - 4	(51 - 102)	13-20	15-20	17-20	19-20	•	•	•	•	•	•	•	•	•	•
LINE WIDTH	4 - 8	(102 - 204)	•	•	17-40	19-40	21-40	23-40	25-40	27-40	29-40	31-40	•	35-40	39-40	43-40
5	8 - 12	(204 - 305)	•	•	•	•	21-60	23-60	25-60	27-60	29-60	31-60	•	35-60	39-60	43-60
	FLOW	RATE (GPM)	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.63	1.98
	FLOW F	RATE (Ipm)	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	6.18	7.51



USEFUL AIRLESS LINE MARKING ACCESSORIES

AIRLESS HOSES			
PART No.	DESCRIPTION		
LA35015	Airless hose Ø 1/4" - M16x1,5 inlet swivel - 10 m		
LA18026	Airless hose Ø 1/4" - M16x1,5 inlet swivel - 15 m		



GRAVITY TANKS

PART No.	DESCRIPTION
LA18240	50 I Gravity tank
LA18245	50 I Gravity tank + Cover
LA18241	50 I Gravity tank + Cover + Basket
LA18243	100 I Gravity tank
LA4041/2	100 I Gravity tank + Cover
LA4500	11 I Gravity tank + Glass beads diffuser hose



KIT DISTRIBUTORE PERI INF DI VETRO

מואוכות ווא	UTUKE PEKLINE DI VETKU
LA18359	11 I Gravity tank + 1 Diffuser hose + 1 glass beads manual spray gun
LA18359/2	11 I Gravity tank + 2 Diffuser hoses + 2 glass beads manual spray guns
LA4405/3	11 I Gravity tank + 2 Diffuser hoses + 2 glass beads automatic spray guns
LA19510	11 I glass beads gravity tank
LA19510/1	Cover 11 I glass beads gravity tank
LA18420	50 I gravity tank + cover + basket + suction - return hoses
LA18241	50 I gravity tank + cover + basket
LA18245	50 I gravity tank + cover
LA18243	Kit 100 I gravity tank + cover
LA4041	Kit 100 I gravity tank + cover + basket
LA4041/2	100 I gravity tank + cover



Κľ

IXII	
LA4307	Mounting kit for second airless gun (airless gun not included)
LA4038	Laser pointer kit
LA4506	Working light kit
LA4507	Flashing telescopic rod kit
LA4840	Gun handling + Front pivot wheel





OPERATOR FOOTBOARD

PART No.	DESCRIPTION
LA26000	Operator footboard

PART No. LA26000

PART No.	DESCRIPTION
LA4720	Seat kit



BATTERY CHARGE

SEAT KIT

PART No.	DESCRIPTION
LA4605	Battery charger

PART No. LA4720



PISTON ACCUMULATOR

· ibioninical iominon			
PART No.	DESCRIPTION		
LA4756	Piston accumulator		



SAMOA INDUSTRIAL, S.A. - HEADQUARTERS **SPAIN AND EXPORT MARKETS**

POL. IND. PORCEYO, I-14 - CAMINO DEL FONTÁN, 831 E-33392 GIJÓN (ASTURIAS), SPAIN

TEL.: +34 985 381 488

SAMOA ITALIA - LARIUS

ITALY

VIA ANTONIO STOPPANI, 21 23801 CALOLZIOCORTE (LC) ITALY

Tel.: +39 0341 621152 Web: www.larius.com

SAMOA LTD.

UNITED KINGDOM AND REP. OF IRELAND

ASTURIAS HOUSE - BARRS FOLD ROAD WINGATES INDUSTRIAL PARK WESTHOUGHTON, BL5 3XP, UK

TEL.: +44 1942 850600

SAMOA S.A.R.L.

FRANCE

P.A.E.I. DU GIESSEN 3, RUE DE BRISCHBACH 67750 SCHERWILLER, FRANCE TEL.: +33 3 88 82 79 62

SAMOA FLOWTECH GMBH

GERMANY, AUSTRIA, SWITZERLAND, THE NETHERLANDS AND GREECE AM OBEREICHHOLZ 4 D - 97828 MARKTHEIDENFELD, GERMANY

TEL.: +49 9391 9826 0

SAMOA CORPORATION

USA, MEXICO AND CANADA 90 MONTICELLO ROAD WEAVERVILLE, NC 28787, USA TEL. +1 (828) 645-2290



©Copyright, SAMOA INDUSTRIAL, S.A. SAMOA Industrial, S.A. is an ISO 9001, ISO 14001 and ISO 45001 certified company.



Visit: www.samoaindustrial.com for more information.